

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	SISTER ARCHANA
	(ii) Name of HCF or CBMWTF	:	ST. MARY'S HOSPITAL BETMA
	(iii) Address for Correspondence	:	DEPALPUR ROAD, BETMA
	(iv) Address of Facility	:	DEPALPUR ROAD, BETMA
	(v) Tel. No, Fax. No	:	07322-260003, 9109701909
	(vi) E-mail ID	:	smhbetma@gmail.com
	(vii) URL of Website	:	http://saintmaryhospital.in
	(viii) GPS coordinates of HCF or CBMWTF	:	22.6854,75.6143
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: AWHB-77594 valid up to 31/12/2024
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 31/12/2024
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds-30
	(ii) Non-bedded hospital	:	-
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	-
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No of beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	NA

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category :109.9 KG			
			Red Category :76.9 KG			
			White:8.8 KG			
			Blue Category : 95.85 KG			
			General Solid waste: 300 KG(PAPER & CARDBOARD SCRAP)			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility					
(i) Details of the facility	on-site storage	:	Size :SEPARATE COVERED AREA			
			Capacity :200 KG			
			Provision of on-site storage : Simple covered storage			
(ii) Details of the disposal facilities	treatment or.	:	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
			Incinerators			
			Plasma Pyrolysis			
			Autoclaves			
			Microwave		NA	
			Hydroclave			
			Shredder			
			Needle tip cutter or Destroyer		-	NA
			Sharps encapsulation or concrete pit		-	NA
			Deep burial pits:			
			Chemical disinfection:		-	NA
			Any other treatment equipment:			
(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) – NA			
(iv)	No of vehicles used for collection and transportation of biomedical waste	:	NA			
(v)	Details of incineration ash and ETP sludge generated and disposed	:	Quantity generated		Where Disposed	

	during the treatment of wastes in Kg per annum		Incineration – Ash-NA ETP Sludge-NA (Only STP facility is available)
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	HOSWIN INCINERATOR LTD.
	(vii) List of member HCF not handed over bio-medical waste.		NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		NO
7	Details trainings conducted on BMW		It is provided by Hoswin.
	(i) Number of trainings conducted on BMW Management.		01 / year
	(ii) number of personnel trained		02
	(iii) number of personnel trained at the time of induction		02
	(iv) number of personnel not undergone any training so far		NIL
	(v) whether standard manual for training is available?		YES. Provided by Hoswin company
	(vi) any other information		-
8	Details of the accident occurred during the year		NIL
	(i) Number of Accidents occurred		NIL
	(ii) Number of the persons affected		NIL
	(iii) Remedial Action taken (Please attach details if any)		NIL
	(iv) Any Fatality occurred, details.		NIL
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		STP is provided.
11	Is the disinfection method or sterilization meeting the log 4		NA

	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	NA

Certified that the above report is for the period from **January-21 to December-21**

Name and Signature of the Head of the Institution

Date: 18/01/2022

Place: BETMA

Sr. Apichana
 Administrator
 St. Mary's Hospital
 & Health Research Center
 Betma